

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

ISO METRIC THREAD GAUGES

Range : Screw Plugs : 1-270 mm.

Srew Rings : 1-250 mm.

STANDARDS	: BASIC DIMENSIONS : IS : 4218 Part III 1999 : ISO-724-1978 (E)
	: IS : 14962 Part III 2001 : ISO-965/1-1980 (E)
	GAUGING PRACTICE : IS : 2334-1975 : ISO-1502-1978 (E)
BLANK DESIGN	: Screw Plugs : IS : 9631-1983, IS : 9608-1985, Handles IS 5388-1980
	: Screw Rings : IS : 9610-1980
CLASS OF FIT	: Screw Plugs : 6H (Medium) Screw Rings : 6g (Medium)
PRICES	: Applicable for Right Hand Threads
	We also manufacture Metric Gauges as per ANSI/ASME B1. 16M, BS 3643 Standard.
	Prices on request. For non-std. dia-pitch combinations on request.

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
2	0.4	690	1320
2.2	0.45	690	1320
2.5	0.45	690	1150
	0.35	1000	1570
3	0.5	540	670
	0.35	840	1075
3.5	0.6	540	670
	0.35	840	1075
4	0.7	540	670
	0.5	810	1045
	0.35	840	1190
4.5	0.75	540	810
	0.5	840	1045
5	0.8	540	670
5.5	0.5	780	1045
6	1	540	670
	0.75	780	1045
7	1	540	670
	0.75	780	1045
	0.75	780	1045
8	1.25	540	670
	1	540	670
	0.75	780	1045
9	1.25	540	645
	1	540	645
	0.75	780	1125
	0.75	780	1125
10	1.5	540	670
	1.25	540	670
	1	540	670
	0.75	780	1125
11	1.5	540	670
	1	540	670
	0.75	780	1210
	0.75	780	1210

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
12	1.75	540	670
	1.5	540	670
	1.25	540	670
	1	540	670
14	0.75	780	1210
	2	670	855
	1.5	600	690
15	1.25	600	690
	1	600	690
	1.5	930	1255
16	1	930	1255
	2	670	855
	1.5	600	690
17	1	600	690
	1.5	930	1255
	1	930	1255
18	2.5	880	1285
	2	750	1285
	1.5	750	875
20	1	750	875
	2.5	880	1570
	2	750	1310
22	1.5	750	985
	1	750	985
	2.5	880	1570
24	2	750	1310
	1.5	750	935
	1	750	935
	3	910	1690
25	2	780	1310
	1.5	780	1075
	1	780	1075
	2	910	1475
25	1.5	910	1390
	1	910	1390

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
26	1.5	910	1390
27	3	1215	1985
	2	960	1510
	1.5	960	1380
28	1	960	1380
	2	960	1510
	1.5	960	1380
30	1	960	1380
	3.5	1950	2280
	3	1490	2045
	2	1150	1760
32	1.5	1150	1760
	1	1150	2090
	2	1150	1760
	1.5	1150	1760
33	3.5	1950	2280
	3	1510	2045
	2	1150	1760
	1.5	1150	1760
35	1.5	1150	1760
36	4	1950	2280
	3	1510	2045
	2	1150	1760
	1.5	1150	1760
38	1.5	1210	1760
39	4	1950	2280
	3	1510	2045
	2	1150	1760
	1.5	1150	1760
40	3	1510	2045
	2	1150	1760
	1.5	1150	1760
42	4.5	2425	3040
	4	2235	2805
	3	1740	2425
	2	1380	2140
	1.5	1380	2140
45	4.5	2425	3040
	4	2235	2805
	3	1740	2425
	2	1380	2140
	1.5	1380	2140
48	5	2805	3135
	4	2235	2805
	3	1740	2425
	2	1380	2140
	1.5	1380	2140

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
50	3	1740	2425
	2	1380	2140
	1.5	1380	2140
52	5	2945	3990
	4	2945	3705
	3	2040	3135
	2	1595	2805
55	1.5	1595	2805
	4	2945	3705
	3	2040	3135
	2	1595	2805
56	1.5	1595	2805
	5.5	2945	3705
	4	2945	3705
	3	2040	3135
58	2	1595	2805
	1.5	1595	2805
	4	2945	3705
	3	2040	3135
60	2	1595	2805
	1.5	1595	2805
	5.5	2945	3705
	4	2945	3705
62	3	2040	3135
	2	1595	2805
	1.5	1595	2805
	4	2945	3705
64	3	2040	3135
	2	1595	2805
	1.5	1595	2805
	6	3610	4370
65	4	2945	3705
	3	2040	3135
	2	1595	2805
	1.5	1595	2805
	4	2945	3705
68	6	3800	4370
	4	3420	3705
	3	2660	3325
	2	1595	2805
	1.5	1595	2805

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
70	6	3800	4370
	4	3420	3705
	3	2660	3325
	2	1595	2805
	1.5	1595	2805
72	6	3800	4370
	4	3420	3705
	3	2660	3325
	2	1595	2805
	1.5	1595	2805
75	4	3420	3705
	3	2660	3325
	2	1595	2805
	1.5	1595	2805
76	6	4560	5035
	4	3705	4275
	3	2805	4040
	2	1855	3565
	1.5	1855	3565
78	2	1855	3565
80	6	4560	5035
	4	3705	4275
	3	2805	4040
	2	1855	3565
	1.5	1855	3565
82	2	1855	3565
85	6	4560	5035
	4	3705	4275
	3	2805	4040
	2	1855	3565
	1.5	1855	3565
90	6	5605	6270
	4	4655	5605
	3	3895	5130
	2	2280	4370
	1.5	2280	4370
95	6	5605	6270
	4	4655	5605
	3	3895	5130
	2	2280	4370
	1.5	2280	4370
100	6	5605	6270
	4	4655	5605
	3	3895	5130
	2	2280	4370
	1.5	2280	4370

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
105	6	6650	6840
	4	4750	6365
	3	4750	6365
	2	3755	5130
	1.5	3755	5130
110	6	6650	6840
	4	4750	6365
	3	4750	6365
	2	3755	5130
	1.5	3755	5130
115	6	7315	7460
	4	5225	7030
	3	5225	7030
	2	3990	5320
	1.5	3990	5320
120	6	7315	7460
	4	5225	7030
	3	5225	7030
	2	3990	5320
	1.5	3990	5320
125	6	7410	8075
	4	5510	7030
	3	5510	7030
	2	4180	5750
	1.5	4180	5750
130	6	7410	8075
	4	5510	7030
	3	5510	7030
	2	4180	5750
	1.5	4180	5750
135	6	9690	8740
	4	6270	7410
	3	6270	7410
	2	4940	6270
	1.5	4940	6270
140	6	9690	8740
	4	6270	7410
	3	6270	7410
	2	4940	6270
	1.5	4940	6270
145	6	9690	8740
	4	6270	7410
	3	6270	7410
	2	4940	6270
	1.5	4940	6270

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
150	6	11685	9310
	4	7505	7885
	3	7505	7885
	2	6080	6650
	1.5	6080	6650
155	6	11685	9310
	4	7505	7885
	3	7505	7885
	2	6080	6650
	1.5	6080	6650
160	6	11685	9310
	4	7505	7885
	3	7505	7885
	2	6080	6650
	1.5	6080	6650
165	6	13110	10925
	4	9025	9310
	3	9025	9310
	2	6840	7790
	1.5	6840	7790
170	6	13110	10925
	4	9025	9310
	3	9025	9310
	2	6840	7790
	1.5	6840	7790
175	6	13110	11875
	4	9025	9975

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
175	3	9025	9310
	2	6840	7790
	1.5	6840	7790
180	6	14250	11875
	4	10450	9975
	3	10450	9975
	2	8075	8360
185	1.5	8075	8360
	6	14250	11875
	4	10450	9975
190	3	10450	9975
	2	8075	8360
	1.5	8075	8360
	6	14250	11875
195	4	10450	9975
	3	10450	9975
	2	8075	8360
	1.5	8075	8360
200	6	16625	13775
	4	11875	11640
	3	11875	11640
	2	9310	9740
200	1.5	9310	9740

R/RC TAPER THREAD GAUGES (Formerly BSPT)

STANDARDS	: BASIC DIMENSIONS : BS 21 : 198 : IS : 8999-1979
	: GAUGING PRACTICE
CLASS OF FIT	: Screw Plugs : System B Screw rings : System B
PRICES	: For System A on request.
NOTE	: Calibration Certificate Will be issued with each Gauge.

SIZE		System B	
R/Rc	TPI	Plug 'RC'	Ring R
		Rs.	Rs.
R1/16"	28	2717	---
R1/8"	28	2717	5760
R1/4"	19	2045	4630
R3/8"	19	2045	4630
R1/2"	14	2045	3825
R3/4"	14	2045	3825
R1"	11	2430	5775

SIZE		System B	
R/Rc	TPI	Plug 'RC'	Ring R
		Rs.	Rs.
R1.1/4"	11	2432	5775
R1.1/2"	11	2432	5775
R2"	11	2432	5775
R2.1/2"	11	3660	7010
R3"	11	3660	7010
R4"	11	5415	10100
R5"	11	6625	11875
R6"	11	6625	12825

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

UNIFIED THREAD GAUGES

Range : Screw Plugs : 1/16"-8"

Srew Rings : 1/16"-8"

STANDARDS	BASIC DIMENSIONS : BS : 1580 : 1962	ANSI B 1-2-1983
	GAUGING PRACTICE : BS : 919 Part I : 1960	
BLANK DESIGN	Screw Plugs : IS : 9631-1983, IS : 9608-1985, Handles IS 5388-1980	
	Screw Rings : IS : 9610-1980	
CLASS OF FIT	Screw Plugs : 2B (Medium) Screw Rings : 2A (Medium)	
PRICES	: Applicable for Right Hand Threads	

Important Note: While placing order kindly confirm, if you require gauges to British Standard or American Standard. In absence of any instruction, we will supply gauges as per American Standard and no rejection/replacements will be entertained due to this reason.

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
4	40 UNC	665	1285
	48 UNF	665	1285
5	40 UNC	665	1285
	44 UNF	665	1285
6	32 UNC	665	940
	40 UNF	665	940
8	32 UNC	665	940
	36 UNF	665	940
10	24 UNC	580	940
	32 UNF	580	940
12	24 UNC	580	940
	28 UNF	580	940
1/4"	20 UNC	580	905
	28 UNF	580	905
	32 UNEF	870	1805
5/16"	18 UNC	580	905
	24 UNF	580	905
	32 UNEF	870	1805
3/8"	16 UNC	580	905
	24 UNF	580	905
	32 UNEF	870	1805
7/16"	14 UNC	580	905
	20 UNF	580	905
	28 UNEF	870	1805
1/2"	13 UNC	580	905
	20 UNF	580	905
	28 UNEF	870	1805
9/16"	12 UNC	715	1190
	18 UNF	715	1190
	20 UN	1070	2365
	24 UNEF	1070	2365
5/8"	11 UNC	715	1190
	18 UNF	715	1190
	20 UN	1070	2365

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch		
		Rs.	Rs.
5/8"	24 UNEF	1070	2365
11/16"	16 UN	1070	1995
	20 UN	1070	2365
	24 UNEF	1070	2365
3/4"	10 UNC	1120	1710
	16 UNF	830	1150
	20 UNEF	1130	1855
13/16"	16 UN	1070	1995
	20 UNEF	1070	2365
7/8"	9 UNC	1130	1720
	14 UNF	830	1150
	20 UNEF	1130	1855
15/16"	16 UN	1070	1995
	20 UNEF	1070	2365
1"	8 UNC	1285	2425
	12 UNF	830	1150
	14 UNF	1070	1995
	16 UN	1070	1995
	20 UNEF	1230	1995
1.1/16"	12 UN	880	1660
	16 UN	880	1660
	18 UNEF	1490	2300
1.1/8"	7 UNC	1830	3020
	12 UN	1150	1560
	16 UN	1150	1560
1.3/16"	12 UN	1015	2195
	16 UN	1015	2195
1.1/4"	7 UNC	1830	3020
	8 UN	1767	2710
	12 UNF	1245	1995
	16 UN	1245	1995
	20 UN	1490	2300

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go	SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch			Nominal Diameter	Pitch		
		Rs.	Rs.			Rs.	Rs.
1.3/8"	6 UNC	2280	3755	2.1/2"	8 UN	2425	4040
	8 UN	1770	2710		12 UN	1855	3090
	12 UNF	1245	2045		16 UN	1855	3090
	16 UN	1245	2045	2.5/8"	8 UN	2425	4040
	18 UNEF	1695	2300		12 UN	1855	3090
20 UN	1695	2300	16 UN		1855	3090	
1.7/16"	8 UN	1770	2710	2.3/4"	4 UNC	3755	5700
	12 UNF	1245	2045		8 UN	2425	4040
	16 UN	1245	2045		12 UN	1855	3090
	18 UNEF	1695	2300		16 UN	1855	3090
	20 UN	1695	2300	2.7/8"	8 UN	2425	4040
1.1/2"	6 UNC	2280	3755		12 UN	1855	3090
	8 UN	1770	2710		16 UN	1855	3090
	12 UNF	1245	2045	3"	4 UNC	4710	6650
	16 UN	1245	2045		8 UN	3090	5180
	18 UNEF	1695	2300		12 UN	2425	3945
20 UN	1695	2300	16 UN		2425	3945	
1.9/16"	8 UN	2090	3090	3.1/4"	4 UNC	4710	6650
	12 UNF	1570	2280		8 UN	3090	5180
	16 UN	1570	2280		12 UN	2425	3945
	18 UNEF	1885	2585		16 UN	2425	3945
	20 UN	1885	2585	3.1/2"	4 UNC	5655	8550
1.5/8"	8 UN	2090	3090		8 UN	3755	6175
	12 UNF	1570	2280		12 UN	2900	4990
	16 UN	1570	2280		16 UN	2900	4990
	18 UNEF	1885	2585	3.3/4"	4 UNC	5655	8550
	20 UN	1885	2585		8 UN	3755	6175
1.3/4"	5 UNC	3230	5225		12 UN	2900	4990
	8 UN	2090	3090		16 UN	2900	4990
	12 UN	1570	2280	4"	4 UNC	5655	8550
	16 UN	1570	2280		8 UN	3755	6175
	20 UN	1885	2585		12 UN	2900	4990
1.7/8"	8 UN	2090	3090		16 UN	2900	4990
	12 UN	1570	2280	5"	4 UNC	7790	9025
	16 UN	1570	2280		8 UN	6935	7695
	20 UN	1885	2585		12 UN	6175	6935
	2"	4.5 UNC	3280		5225	16 UN	4845
8 UN		2090	3325	6"	4 UNC	11400	10215
12 UN		1570	2330		8 UN	9600	8645
16 UN		1570	2330		12 UN	7500	7885
20 UN		1885	2585		16 UN	6080	6840
2.1/4"	4.5 UNC	3755	5700	7"	4 UNS	14250	11875
	8 UN	2425	4040		8 UNS	12350	10925
	12 UN	1855	2710		12 UNS	10450	10215
	16 UN	1855	2710		16 UNS	8075	8455
2.3/8"	8 UN	2425	4040	8"	4 UNS	16625	13775
	12 UN	1855	3090		8 UNS	14480	12590
	16 UN	1855	3090		12 UNS	11875	11400
2.1/2"	4 UNC	3755	5700		16 UNS	9310	9740

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

BSW - BSF THREAD GAUGES

Range : Screw Plugs : 1/16"-8"

Srew Rings : 1/16"-8"

STANDARDS	: BASIC DIMENSIONS : BS : 84 : 1956 GAUGING PRACTICE : BS : 919 Part 2 / 1971
BLANK DESIGN	: Screw Plugs : IS : 9631-1983, IS : 9608-1985, Handles IS 5388-1980 Screw Rings : IS : 9610-1980
CLASS OF FIT	: Screw Plugs : (Medium) Screw Rings : (Medium)
PRICES	: Applicable for Right Hand Threads Above 1" on request. For non-std. dia-pitch combinations on request.

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go	SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch			Nominal Diameter	Pitch		
		Rs.	Rs.			Rs.	Rs.
1/8"	40 BSW	1880	3185	1/2"	12 BSW 16 BSF	1190	2090
3/16"	24 BSW 32 BSF	1380 1450	2090	5/8"	11 BSW 14 BSF	1190	2090
1/4"	20 BSW 26 BSF	1190 1190	2090	3/4"	10 BSW 12 BSF	1950 1190	4655 3515
5/16"	18 BSW 22 BSF	1190 1190	2090	7/8"	9 BSW 11 BSF	1950 1190	4655 3515
3/8"	16 BSW 20 BSF	1190 1190	2090	1"	8 BSW 10 BSF	2470 2045	4655 4655
7/16"	14 BSW 18 BSF	1190 1190	2090				

B.S. CYCLE THREAD GAUGES

STANDARDS	: BASIC DIMENSIONS : BS : 811 : 1950 GAUGING PRACTICE : BS : 919 Part 2 / 1971
------------------	---

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go	SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch			Nominal Diameter	Pitch		
		Rs.	Rs.			Rs.	Rs.
7/32"	26	1380	1970	11/16"	26	1615	2470
1/4"	26	1380	1970	3/4"	26	1805	2470
9/32"	26	1380	1970	1"	26	1805	2660
5/16"	26	1380	2090	1"	24	1475	2565
3/8"	26	1380	2090	1.1/4"	26	1805	2660
7/16"	26	1615	2185	1.1/2"	26	1805	2755
1/2"	26	1615	2185	1.370"	24 RH	1665	3230
9/16"	26	1615	2375	1.370"	24 LH	2165	3990
5/8"	26	1615	2375				

B.A. SCREW GAUGES

STANDARDS	: BASIC DIMENSIONS : BS : 93 : 1951 GAUGING PRACTICE : BS : 919 Part 2 / 1971
BLANK DESIGN	: Screw Plugs : IS : 9631-1983, IS : 9608-1985, Handles IS 5388-1980 Screw Rings : IS : 9610-1980

Size	Screw plug D/E	Screw Ring Go or Not Go	Size	Screw plug D/E	Screw Ring Go or Not Go
	Rs.	Rs.		Rs.	Rs.
0 BA	1950	2900	4 BA	2045	3185
1 BA	1950	2900	5 BA	2565	3850
2 BA	1950	2900	6 BA	2565	3850

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

G- Series (Formerly BSPF) THREAD GAUGES

Range : Screw Plugs : 1/16"-8"

Srew Rings : 1/16"-8"

STANDARDS	: BASIC DIMENSIONS : BS : 2799 : 1986, IS :2643-1975, ISO 228 Pt. I -1982 (E) GAUGING PRACTICE : BS : 919 Part 2 / 1971 IS 10216-1982 ISO 228 Pt. II 1987
BLANK DESIGN	: Screw Plugs : IS : 9631-1983, IS : 9608-1985, Handles IS 5388-1980 Screw Rings : IS : 9610-1980
CLASS OF FIT	: Screw Plugs : General, Screw Rings : General (B), Close (A)
PRICES	: Applicable for Right Hand Threads Rings are supplied to class 'B' (General) unless class 'A' is specifically requested.

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch	Rs.	Rs.
G1/16"	28	2225	3135
G 1/8"	28	845	1665
G 1/4"	19	845	1665
G 3/8"	19	845	1665
G 1/2"	14	1000	2425
G 5/8"	14	1000	2425
G 3/4"	14	1000	2425
G 7/8"	14	1000	2425
G 1"	11	1475	2800
G1.1/8"	11	1475	2800

SIZE		Screw Plug Double Ended	Screw Ring Go or No Go
Nominal Diameter	Pitch	Rs.	Rs.
G 1.1/4"	11	1475	2800
G 1.3/8"	11	1475	2800
G 1.1/2"	11	1475	2800
G 1.3/4"	11	1760	3565
G 2"	11	1760	3565
G 2. 1/2"	11	1970	4040
G 3"	11	2495	4940
G 4"	11	3110	6175
G 5"	11	4655	7600
G 6"	11	6985	9740

NGT TAPER THREAD GAUGES

STANDARDS	: BASIC DIMENSIONS : IS : 3224 1979 GAUGING PRACTICE : IS : 9121 : 1979
BLANK DESIGN	: IS 9610-1983
NOTE	: Calibration Certificate will be issued with each Gauge.

SIZE	PLUG		Check Plugs For L1 & L 8 Gauge 'M' Rs.	Plain taper plug Gauge	
	L1 Gauge 'B' Rs.	L 1 Gauge 'A' Rs.		Gauge C1' Rs.	Gauge C2' Rs.
3/4" - 14 NGT	1475	1615	3040	810	810

RING GAUGES

SIZE	L1 Gauge 'E' Rs.	L 1 Gauge 'D' Rs.	Crest Truncation Plain Ring Gauge 'F' Rs.
3/4" - 14 NGT	2565	2850	3040

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

NPTF TAPER THREADED GAUGES

Range : Screw Plugs : 1/16"-8"

Screw Rings : 1/16"-8"

STANDARDS	: BASIC DIMENSIONS : BS : 2799 : 1986, IS :2643-1975, ISO 228 Pt. I -1982 (E) GAUGING PRACTICE : BS : 919 Part 2 / 1971 IS 10216-1982 ISO 228 Pt. II 1987
BLANK DESIGN	: Screw Plugs : IS : 9631-1983, IS : 9608-1985, Handles IS 5388-1980 Screw Rings : IS : 9610-1980
CLASS OF FIT	: Basic / Step limit.
PRICES	: Calibration Certificate will be issued with each Gauge.

Size	TPI	PLUGS				RINGS			
		L1 Basic	L1 Step Limit	L3 Basic	L3 Step Limit	L1 Basic	L1 Step Limit	L3 Basic	L3 Step Limit
1/16"	27	2200	2450	2350	2750	4050	4600	4950	5500
1/8"	27	2200	2450	2350	2750	3350	4600	4950	5500
1/4"	18	1850	2050	1950	2150	3350	3750	3650	4000
3/8"	18	1850	2050	1950	2150	3350	3750	3650	4000
1/2"	14	1850	2050	1950	2150	3350	3750	3650	4000
3/4"	14	1850	2050	1950	2150	3350	3750	3650	4000
1"	11.1/2	2250	2450	2450	2650	4400	4950	4750	5200
1.1/4"	11.1/2	2250	2450	2450	2650	4400	4950	4750	5200
1.1/2"	11.1/2	2250	2450	2450	2650	4400	4950	4750	5200
2"	11.1/2	2250	2450	2450	2650	4400	4950	4750	5200
2.1/2"	8	3450	3900	3750	4150	4900	5450	5250	5700
3"	8	3450	3900	3750	4150	4900	5450	5250	5700
3.1/2"	8	3450	3900	3750	4150	4900	5450	5250	5700
4"	8	3450	3900	5500	5900	5500	6400	5800	6700

TRADE COMBINE

20, Industrial House, 51/53, Nagdevi Cross Lane, Mumbai: 400 003. INDIA.

Tel: + 91 - 22 - 2345 3999 / 2346 5999. Fax: + 91 - 22 - 2344 0101.

E-mail: tradecombine@vsnl.net Website: www.tradecombine.com

AKU - GAUGEWELL THREAD GAUGES - PRICE LIST 2010

NPT TAPER THREADED GAUGES

Range : Screw Plugs : 1/16"-8"

Screw Rings : 1/16"-8"

STANDARDS	: BASIC DIMENSIONS & GAUGING PRACTICES : ANSE/ASME B1 20.01/1983
BLANK DESIGN	: Screw Plugs : IS : 9631-1983, IS : 9608-1985, Handles IS 5388-1980 : IS : 9610-1980
	Screw Rings
CLASS OF FIT	: Basic / Step limit.
PRICES	: Calibration Certificate will be issued with each Gauge.

SIZE		PLUGS		RINGS	
Size	TPI	L1 Basic Rs.	L1 Min/Basic / Max Rs.	L1 Basic Rs.	L1 Min/Basic / Max Rs.
1/16"	27	1665	1760	3200	3800
1/8"	27	1665	1761	3200	3800
1/4"	18	1380	1560	2900	3400
3/8"	18	1380	1560	2900	3400
1/2"	14	1380	1560	2900	3400
3/4"	14	1380	1560	2900	3400
1"	11.1/2	1665	1855	3650	4400
1.1/4"	11.1/2	1665	1855	3650	4400
1.1/2"	11.1/2	1665	1855	3650	4400
2"	11.1/2	1665	1855	3650	4400
2.1/2"	8	2615	2900	4500	5400
3"	8	2615	2900	4500	5400
3.1/2"	8	2615	2900	4500	5400
4"	8	3990	4370	7200	8000
4.1/2"	8	4180	4845	----	----
5"	8	4370	5225	----	----
6"	8	4560	5415	----	----
8"	8	7125	7885	----	----

