

Product	Description	Type	Range	Reading	Graduation	Price(₹)*
	PLUNGER TYPE DIAL GAUGE (MODEL 40)	K39	5 mm	0.01 mm	0-50-0	1850.00
		K40	5 mm	0.01 mm	0-100	1850.00
		K41	0.25"	0.001"	0-50-0	2020.00
		K42	0.25"	0.001"	0-100	2020.00
	PLUNGER TYPE DIAL GAUGE (MODEL 56)	KZ	0.8 mm	0.01 mm	40-0-40	1435.00
		K01	10 mm	0.01 mm	0-50-0	1330.00
		K02	10 mm	0.01 mm	0-100	1330.00
		K03	5 mm	0.01 mm	0-50-0	1250.00
		K04	5 mm	0.01 mm	0-100	1250.00
		K05	10 mm	0.1 mm	0-10	1250.00
		K06	25 mm	0.1 mm	0-10	1745.00
		K07	30 mm	0.01 mm	0-100	2890.00
		K08	25 mm	0.01 mm	0-100	2405.00
		K09	2 mm	0.002 mm	0-10-0	2890.00
		K10	2 mm	0.002 mm	0-20	2890.00
		K11	5 mm	0.002 mm	0-10-0	3450.00
		K12	5 mm	0.002 mm	0-20	3450.00
		K13	12 mm	0.002 mm	0-10-0	5595.00
		K14	12 mm	0.002 mm	0-20	5595.00
		K17S	1 mm	0.001 mm	0-100-0	3180.00
		KY	0.08"	0.001"	40-0-40	1435.00
		K50	1"	0.001"	0-100	2270.00
		K51	0.5"	0.001"	0-50-0	1725.00
		K52	0.5"	0.001"	0-100	1725.00
		K53	0.5"	0.0005"	0-25-0	2120.00
		K54	0.5"	0.0005"	0-50	2120.00
		K61	0.2"	0.0001"	0-50-0	3815.00
		K62	0.2"	0.0001"	0-100	3815.00
		K63	0.5"	0.0001"	0-50-0	6155.00
		K64	0.5"	0.0001"	0-100	6155.00
	PLUNGER TYPE DIAL GAUGE (MODEL 88)	J72	50 mm	0.01 mm	0-100	5830.00
		J76	2"	0.001"	0-100	6160.00
	PLUNGER TYPE DIAL GAUGE (MODEL 105)	K101	2 mm	0.01 mm	0-50-0	5520.00
	HARDNESS TESTER DIAL (ROCKWELL) STANDARD	-	-	-	-	2490.00
	DIGITAL DIAL GAUGE (RS232 DATA OUTPUT) 'W' Series : IP67 'MD' Series : IP65	W1	12.5 mm/0.5"	0.001 mm/0.00005"	-	16855.00
		W2	25 mm/1"	0.001 mm/0.00005"	-	18765.00
		W3	50 mm/2"	0.001 mm/0.00005"	-	30740.00
		W1A	12.5 mm / 0.5 "	0.001mm/0.00005"	-	17915.00
		W2A	25 mm / 1 "	0.001mm/0.00005"	-	19825.00
		W3A	50 mm / 2 "	0.001mm/0.00005"	-	31800.00
		BAKER Proximity cable with RS232 interface suitable for BAKER digital dials W1, W2, W3				5720.00
		BAKER Proximity cable with USB interface suitable for BAKER digital dials W1, W2, W3				5720.00
		MD001	12.5 mm/0.5"	0.001 mm/0.00005"	-	23320.00
		BAKER RS232 cable + Power supply for MINI plunger type dial gauge				6495.00

W.E.F. 01-04-2018

Valid Until : 31-3-2019

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	DIGITAL DIAL GAUGE	V1	12.5 mm/0.5"	0.01mm/0.0005"	-	5115.00
		V2	25 mm/1"	0.01mm/0.0005"	-	6410.00
		V3	50 mm/2"	0.01mm/0.0005"	-	17400.00
		V1P	12.5 mm / 0.5"	0.001mm/0.00005"	-	9900.00
		V2P	25 mm / 1"	0.001mm/0.00005"	-	11900.00
	LEVER TYPE DIAL GAUGE (MODEL 29)	302	0.8 mm	0.01 mm	0-40-0	3970.00
		304	0.2 mm	0.002 mm	0-10-0	6600.00
		Supplied with 2mm dia T.C. Ball Stylus fitted to the gauge & 1mm T.C. Ball Stylus, Height Gauge Adapter, Dia 4mm & 8mm Dovetail Spigot Assembly and Universal Calmp as standard accessories in a box.				
		302A	0.8 mm	0.01 mm	0-40-0	3145.00
		304A	0.2 mm	0.002 mm	0-10-0	5445.00
	LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 29)	Supplied with 2 mm dia T.C. Ball Stylus & 8mm Dovetail Spigot Assembly fitted to the gauge				
		302L	0.8 mm	0.01 mm	0-40-0	5940.00
		Supplied with 33mm long 2mm dia. T. C. Ball Stylus fitted to the gauge, Height Gauge Adapter, Dia 4 mm & 8mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box				
		302AL	0.8 mm	0.01 mm	0-40-0	5035.00
		Supplied with 33mm long 2mm dia T.C. Ball Stylus & 8mm Dovetail Spigot Assembly fitted to the gauge				
	LEVER TYPE DIAL GAUGE (MODEL 38)	306	0.8 mm	0.01 mm	0-40-0	4535.00
		308	0.2 mm	0.002 mm	0-10-0	8085.00
		Supplied with 2mm dia T.C. Ball Stylus fitted to the gauge & 1mm T.C. Ball Stylus, Height Gauge Adapter, Dia 4mm & 8mm Dovetail Spigot Assembly and Universal Calmp as standard				
		306A	0.8 mm	0.01 mm	0-40-0	3455.00
		308A	0.2 mm	0.002 mm	0-10-0	7400.00
	LEVER TYPE DIAL GAUGE LONG STYLUS (MODEL 38)	Supplied with 2 mm dia T.C. Ball Stylus & 8mm Dovetail Spigot Assembly fitted to the gauge				
		306L	0.8 mm	0.01 mm	0-40-0	6490.00
		Supplied with 33mm long 2mm dia. T.C. Ball Stylus fitted to the gauge, Height Gauge Adapter, Dia 4 mm & 8mm Dovetail Spigot Assembly and Universal Clamp as standard accessories in a box				
		306AL	0.8 mm	0.01 mm	0-40-0	5525.00
		Supplied with 33mm long 2mm dia T.C. Ball Stylus & 8mm Dovetail Spigot Assembly fitted to the gauge				
	DIAL BORE GAUGE	K639	10-18 mm	0.01 mm	0-50-0	7325.00
		K641	0.4-0.7"	0.001"	0-50-0	7490.00
		K703	18-50 mm	0.01 mm	0-50-0	7175.00
		K709	18-50 mm	0.002 mm	0-10-0	8670.00
		K717	18-50 mm	0.001 mm	0-100-0	8900.00
		K753	0.7-2"	0.0005"	0-25-0	7890.00
		K761	0.7-2"	0.0001"	0-50-0	8910.00
		K803	50-150 mm	0.01 mm	0-50-0	7175.00
		K809	50-150 mm	0.002 mm	0-10-0	8670.00
		K817	50-150 mm	0.001 mm	0-100-0	8900.00
		K853	2-6"	0.0005"	0-25-0	7890.00
		K861	2-6"	0.0001"	0-50-0	8910.00
	DIAL SNAP GAUGE (WITHOUT DIAL GAUGE)	DS25	0 - 25 mm	-	-	9525.00
		DS50	25 - 50 mm	-	-	9845.00
		DS75	50 - 75 mm	-	-	11235.00
		DS100	75 - 100 mm	-	-	11770.00
	COMPARATOR STAND	CS150	Gauging Height 150 mm	-	-	6535.00
	MAGNETIC DIAL STAND (MS)	MS	-	-	-	1390.00
	MAGNETIC DIAL WITH FINE ADJUSTMENT	MSF	-	-	-	1490.00

W.E.F. 01-04-2018

Valid Until : 31-3-2019

Product	Description	Type	Range	Reading	Graduation	Price (₹)*
	DIAL THICKNESS GAUGE (130 series) (Throat Depth:30 mm)	K130/0	10 mm	0.1 mm	0-10	2145.00
		K130/3	10 mm	0.01 mm	0-100	2225.00
		K130/6	2 mm	0.002 mm	0-20	3740.00
		K130/7	5 mm	0.002 mm	0-20	4135.00
		K130/1	0.5"	0.001"	0-100	2520.00
		K130/8	0.05"	0.0001"	0-100	4105.00
	Push Down Type 138 series (Throat Depth:50 mm)	K138/0	25 mm	0.1 mm	0-10	3665.00
		K138/3	25 mm	0.01 mm	0-100	3905.00
		K138/1	1.0"	0.001"	0-100	4290.00
	138 series (Throat Depth:50 mm)	K138/0L	25 mm	0.1 mm	0-10	3985.00
		K138/3L	25 mm	0.01 mm	0-100	4225.00
		K138/1L	1.0"	0.001"	0-100	4655.00
	142 series (Throat Depth:100 mm)	K142/0	10 mm	0.1 mm	0-10	2520.00
		K142/3	10 mm	0.01 mm	0-100	2620.00
		K142/1	0.5"	0.001"	0-100	2870.00
	145 series (Throat Depth:200 mm)	K145/0	10 mm	0.1 mm	0-10	3080.00
		K145/3	10 mm	0.01 mm	0-100	3180.00
		K145/1	0.5"	0.001"	0-100	3435.00
	150 series (Throat Depth:200 mm)	K150/0	25 mm	0.1 mm	0-10	4545.00
		K150/3	25 mm	0.01 mm	0-100	4795.00
		K150/1	1.0"	0.001"	0-100	5225.00
	DIGITAL DIAL THICKNESS GAUGE 130 (Throat Depth:30 mm)	K130/D	12.5 mm/0.5"	0.001mm/0.00005"	-	17350.00
	142 (Throat Depth:100 mm)	K142/D	12.5 mm/0.5"	0.001mm/0.00005"	-	17550.00
	138 (Throat Depth:50 mm)	K138/D	25 mm/1"	0.001mm/0.00005"	-	20050.00
	145 (Throat Depth:200 mm)	K145/D	12.5 mm/0.5"	0.001mm/0.00005"	-	18050.00
	150 (Throat Depth:200 mm)	K150/D	25 mm/1"	0.001mm/0.00005"	-	20550.00
	VERNIER CALIPER	VC10	0-150 mm/0-6"	0.02 mm/0.001"	-	1640.00
		VC20	0-200 mm/0-8"	0.02 mm/0.001"	-	2615.00
		VC30	0-300 mm/0-12"	0.02 mm/0.001"	-	5235.00
	VERNIER CALIPER WITH FINE ADJUSTMENT	VCF10	0-130 mm/0-5"	0.02 mm/0.001"	-	1875.00
		VCF20	0-180 mm/0-7"	0.02 mm/0.001"	-	2775.00
		VCF30	0-280 mm/0-11"	0.02 mm/0.001"	-	5465.00
		VCF45	0-430 mm / 0-17"	0.02 mm / 0.001"	-	16900.00
		VCF60	0-580 mm / 0-23"	0.02 mm / 0.001"	-	20800.00
		VCF80	0-780 mm / 0-31"	0.02 mm / 0.001"	-	31300.00
		VCF100	0-980 mm / 0-39"	0.02 mm / 0.001"	-	40800.00
	DIAL CALIPER	DC10	0-150 mm	0.02 mm	-	2925.00
		DC20	0-200 mm	0.02 mm	-	4895.00
		DC30	0-300 mm	0.02 mm	-	6520.00
	DIGITAL CALIPER	ED10	0-150 mm / 0-6"	0.01 mm / 0.0005 "	-	3265.00
		ED20	0-200 mm / 0-8"	0.01 mm / 0.0005 "	-	4920.00
		ED30	0-300 mm / 0-12"	0.01 mm / 0.0005 "	-	6660.00
	DIGITAL CALIPER	SDN10	0-150 mm/0-6"	0.01mm/0.0005"	-	4695.00
		SDN20	0-200 mm/0-8"	0.01mm/0.0005"	-	6225.00
		SDN30	0-300 mm/0-12"	0.01mm/0.0005"	-	8190.00
	DIGITAL CALIPER (IP66)	SDN50	0-500 mm/0-20"	0.01 mm/0.0005"	-	25975.00
		SDN60	0-600 mm/0-24"	0.01 mm/0.0005"	-	35210.00
		SDN80	0-800 mm/0-32"	0.01 mm/0.0005"	-	45255.00
		SDN100	0-1000 mm/0-40"	0.01 mm/0.0005"	-	66095.00
	DIGITAL CALIPER (IP67 & RS232 DATA OUTPUT)	ZD10	0-150 mm/0-6"	0.01mm/0.0005"	-	7405.00
		ZD20	0-200 mm/0-8"	0.01mm/0.0005"	-	9840.00
		ZD30	0-300mm/0-12"	0.01mm/0.0005"	-	12270.00
		Proximity cable for RS232 interface for ZD calipers				5720.00
		Proximity cable for USB interface for ZD calipers				5720.00