

**BAKER OUTSIDE MICROMETERS, METRIC, INCH, DISC, SPLINE, POINT, BLADE, DEPTH
AND MICROMETER HEADS, PRICELIST VALID FROM 1/07/2013.**

METRIC MICROMETERS			
TYPE	RANGE	READING	RS.
MMA25	0-25 mm	0.001 mm	1200
MMA50	25-50 mm	0.001 mm	1840
MMA75	50-75 mm	0.001 mm	2290
MMA100	75-100 mm	0.001 mm	2590
MMA125	100-125mm	0.001 mm	3180
MMA150	125-150mm	0.001 mm	3490
MMA175	150-175mm	0.001 mm	4620
MMA200	175-200mm	0.001 mm	5980
MMA300	200-300mm	0.001 mm	16530
MMA400	300-400mm	0.001 mm	19220
MMA500	400-500mm	0.001 mm	21860
MMA600	500-600mm	0.001 mm	24730
MMA700	600-700mm	0.001 mm	29410
MMA800	700-800mm	0.001 mm	34190
MMA900	800-900mm	0.001 mm	39560
MMA1000	900-1000mm	0.001 mm	44090

TYPE	RANGE	READING	RS.
MMA25-1	0-25 mm	0.001 mm	1350
MMA50-1	25-25mm	0.001 mm	2370
MMA75-1	50-75mm	0.001 mm	2980
MMA100-1	75-100mm	0.001 mm	3340
MMA125-1	100-125mm	0.001 mm	4150
MMA150-1	125-150mm	0.001 mm	4540

MICROMETER HEAD			
TYPE	RANGE	READING	RS.
MM25-HP	0-25 mm PLAIN	0.01 mm	1350
MM25-HT	0-25 mm THREADED	0.01 mm	1350
MM25-1HP	0-25 mm PLAIN	0.01 mm	1760
MM25-1HT	0-25 mm THREADED	0.01 mm	1760

NOTE: PRICE FOR SPECIAL MICROMETER HEADS AS PER CUSTOMER EQUIREMENTS ON REQUEST.

DEPTH MICROMETER			
TYPE	RANGE	READING	RS.
MMA25-DM	0-25 mm	0.001 mm	3810
MMA25-1DM	0-25 mm	0.001 mm	4950

NOTE: CERTIFICATE OF CALIBRATION IS SUPPLIED WITH EACH MICROMETER TRACEABLE TO N.P.L. STANDARDS.

INCH MICROMETERS			
TYPE	RANGE	READING	RS.
INA1	0-1"	0.001"	1200
INA2	1-2"	0.001"	1840
INA3	2-3"	0.001"	2290
INA4	3-4"	0.001"	2590
INA5	4-5"	0.001"	3180
INA6	5-6"	0.001"	3490
INA7	6-7"	0.001"	4620
INA8	7-8"	0.001"	5980
INA12	8-12"	0.001"	16530

NOTE: PRICES FOR ABOVE 12" AND UPTO 40" ON REQUEST.

TYPE	RANGE	READING	RS.
INA1-1	0-1"	0.0001"	1350
INA2-1	1-2"	0.0001"	2370
INA3-1	2-3"	0.0001"	2980
INA4-1	3-4"	0.0001"	3340
INA5-1	4-5"	0.0001"	4150
INA6-1	5-6"	0.0001"	4540

MICROMETER HEAD

TYPE	RANGE	READING	RS.
IN1 - HP	0-1" PLAIN	0.001"	1350
IN 1- HT	0-1" THREADED	0.001"	1350
IN 1 - 1 HP	0-1" PLAIN	0.001"	1760
IN 1- 1 HT	0-1" THREADED	0.001"	1760

NOTE: SPECIAL MICROMETER HEADS AS PER CUSTOMER REQUIREMENTS ON REQUEST.

DEPTH MICROMETER

TYPE	RANGE	READING	RS.
INA1 - DM	0-1"	0.0001"	3810
INA1 - 1 DM	0-1"	0.0001"	4950

DIGITAL EXTERNAL MICROMETERS

TYPE	RANGE	READING	RS.
DMM25	0-25 mm	0.001mm/0.00005"	4520
DMM50	25-50 mm	0.001mm/0.00005"	5760
DMM75	50-75 mm	0.001mm/0.00005"	7540
DMM100	75-100 mm	0.001mm/0.00005"	8730

NOTE: CERTIFICATE OF CALIBRATION IS SUPPLIED WITH EACH MICROMETER, TRACEABLE TO N.P.L. STANDARDS.

BAKER OUTSIDE MICROMETERS, METRIC, INCH, DISC, SPLINE, POINT, BLADE, DEPTH AND MICROMETER HEADS, PRICELIST VALID FROM 1/07/2013.

BAKER OUTSIDE MICROMETERS, METRIC, INCH, DISC, SPLINE, POINT, BLADE, DEPTH AND MICROMETER HEADS, PRICELIST VALID FROM 1/07/2013.

A SET OF FOUR MICROMETERS IN ONE WOODEN BOX			
TYPE	RANGE	READING	RS.
4 MMA100	0-100 mm	0.01 mm	7920
4 MMA100-1	0-100mm	0.001 mm	10040

A SET OF FOUR MICROMETERS IN ONE WOODEN BOX			
TYPE	RANGE	READING	RS.
4 INA4	0-4"	0.001"	7920
4 INA4 - 1	0-4"	0.001"	9060

A SET OF SIX MICROMETERS IN ONE WOODEN BOX			
TYPE	RANGE	READING	RS.
6 MMA150	0-150 mm	0.001 mm	15090
6 MMA150 - 1	0-150 mm	0.001 mm	19230

A SET OF SIX MICROMETERS IN WOODEN ONE BOX			
TYPE	RANGE	READING	RS.
6 INA6	0-6"	0.0001"	15090
6 INA6 - 1	0-6"	0.0001"	17240

SET OF DIGITAL MICROMETERS

A SET OF FOUR DIGITAL MICROMETERS IN ONE WOODEN BOX			
TYPE	RANGE	READING	RS.
4 DMM100	0-100 mm	0.0001mm/0.00005 "	27000

SPECIAL MICROMETERS

**TUBE TYPE : [TYPE - T1] SPHERICAL HARDENED STEEL ANVIL & FLAT CARBIDE SPINDLE FACE.
[TYPE - T2] BOTH ENDS SPHERICAL HARDENED STEEL FACES.**

TYPE	RANGE	READING	RS.
MMA25 - T1	0-25 mm	0.01 mm	1990
MMA25 - T2	0-25 mm	0.01 mm	2200
MMA50 - T1	25-50 mm	0.01 mm	3430
MMA50 - T2	25-50 mm	0.01 mm	3780
MMA75 - T1	50-75 mm	0.01 mm	4210
MMA75 - T2	50-75 mm	0.01 mm	4610
MMA100-T1	75-100mm	0.01 mm	4700
MMA100-T2	75-100 mm	0.01 mm	5200

TYPE	RANGE	READING	RS.
INA1 -T1	0-1"	0.001"	1990
INA1 - T2	0-1"	0.001"	2200
INA2 - T1	1" - 2"	0.001"	3430
INA2 - T2	1" - 2"	0.001"	3780
INA3 - T1	2" - 3"	0.001"	4210
INA3 - T2	2" - 3"	0.001"	4610
INA4 - T1	3" - 4"	0.001"	4700
INA4 - T2	3" - 4"	0.001"	5200

DISC TYPE: ROATING HARDENED STEEL MEASURING FACES

TYPE	RANGE	READING	RS.
MMA25 - D	0-25 mm	0.01mm	4740
MMA50 - D	25-50 mm	0.01mm	8140
MMA75 - D	50-75 mm	0.01mm	9980
MMA100 - D	75-100 mm	0.01mm	11190

TYPE	RANGE	READING	RS.
INA1 - D	0-1"	0.01"	4740
INA2 - D	1" - 2"	0.01"	8140
INA3 - D	2" - 3"	0.01"	9980
INA4 - D	3" - 4"	0.01"	11190

DISC TYPE: NON-ROTATING-HARDENED STEEL MEASURING FACES.

TYPE	RANGE	READING	RS.
MMA25 -ND	0-25 mm	0.01mm	7080
MMA50 -ND	25-50 mm	0.01mm	12220
MMA75 - ND	50-75 mm	0.01mm	14980
MMA100 - ND	75-100 mm	0.01mm	16780

TYPE	RANGE	READING	RS.
INA1 - ND	0-1"	0.01"	7080
INA2 -ND	1" - 2"	0.01"	12220
INA3 -ND	2" - 3"	0.01"	14980
INA4 -ND	3" - 4"	0.01"	16780

NOTE:

1. CERTIFICATE OF CALIBRATION IS SUPPLIED WITH EACH MICROMETER, TRACEABLE TO N.P.L. STANDARDS.
2. PRICES FOR READINGS 0.001 mm & 0.0001" ON REQUEST.

BAKER OUTSIDE MICROMETERS, METRIC, INCH, DISC, SPLINE, POINT, BLADE, DEPTH AND MICROMETER HEADS, PRICELIST VALID FROM 1/07/2013.

PRICES ARE EX WORKS.

ASK FOR DISCOUNT FOR BULK PURCHASE.

AUTHORIZED BAKER THREAD GAUGES, MICROMETERS, CALIPERS, DIAL GAUGES DEALERS DISTRIBUTORS

EMAIL US AT sales@tradecombine.com Visit us at www.tradecombine.com